

YOUR BEST CHOICE... PLAIN AND SIMPLE!



The Pro Group ______ 126 Calvary Street, Waltham, MA 02453 781.899.0790

280 Brookdale Drive, 10 Amflex Drive Springfield, MA 01104 Cranston, RI 02921 h 413.732.8044 401.464.5000



COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

888.PRO.0007 • www.proequipmentrental.com

WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

Springfield, MA 280 Brookdale Drive, 01104 413.732.8044



Cranston, RI 10 Amflex Drive, 02921 401.464.5000

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

QUICK INDEX

2	
10	
15	
11	
4	
12	
3	
15	
3	
17	
18	
18	
20	
19	
5	
6-9	
	10 15 11 4 12 3 15 3 17 18 18 20 19 5

The PRO Group



Waltham, MA · Springfield, MA · Brockton, MA · Cranston, RI 781.899.0790 413.732.8044 888.776.0007 401.464.5000

Don't want to RENT IT? BUY IT, from Pro Tool & Supply. Our three convenient showrooms are stocked with inventory from top manufacturers you know and trust for your job site. You won't be let down with our unparalled service, extensive product knowledge, and onsite delivery for all your Tool and Equipment needs. Not sure if we have it, JUST ASK! SOMETHING BROKEN? We offer Manufacturer Certified Equipment Repair Technicians to get you back up and running. Call one of our Showrooms or your Sales Representative today. TOGETHER, LET'S GET THE JOB DONE RIGHT.

POLICY

- Rental Charges begin when equipment leaves our shop, and end when equipment is returned or called in for pick-up.
- Rental rates are based on an 8 hour day, 40 hour week, and 172 hour month. Double shift operation will result in charges of 150% of rate and triple shift operation will result in charges of 200% of current rate.
- Rates include normal wear and tear. Any damage beyond that will be charged at our current repair rates.
- Customer is responsible for any theft, fire, vandalism damages, etc.
- Lessee bears the responsibility and associated cost to keep the equipment in good repair, condition, working order and maintained in accordance with the manufacturer's recommended engineering and maintenance standards.
- Lessee must notify the lesser if a scheduled maintenance program is required.
- Lessee bears the responsibility to call Pro Equipment Rental when they are finished with any & all rental equipment.

CREDIT POLICY

- Terms of payment are Net 30 days.
- All customers must have an established account or a deposit will be required on all rental equipment items.

RENTAL PURCHASE OPTION

All rentals must be paid on-time in order to apply.

- If you elect to purchase equipment during your rental contract period, a percentage of rental cost will apply as a credit toward the current new selling price of the equipment. The schedule is as follows:
 - * 90% will apply if purchased within 30 days
 - * 75% will apply if purchased within 30 to 90 day
- * 50% will apply if purchased after 90 days
- All rental purchases are not retroactive.

CUSTOMER RESPONSIBILITY: Daily & scheduled service & cleaning, lubrication, engine oil, fuel, filters, fluids, tire damage, equipment damage, insurance. Charges will be made if machine is not properly maintained, returned dirty or in damaged condition.

The Pro Group WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

SPRINGFIELD, MA 280 Brookdale Drive, 01104 413.732.8044 CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

TOWABLE AIR COMPRESSORS







Sullivan Palatek 185 High PSI

PRODUCT	DESCRIPTION
SP 185 150PSI	185 CFM High Pressure PSI-Diesel
CP 185	185 CFM- Diesel
CP 400	400 CFM- Diesel
CP 750	750 CFM- Diesel

AIR TOOLS

PRODUCT	DESCRIPTION
Paving Breaker	35lb. 1″ Shank
Paving Breaker	60lb. 1-1/8″ Shank
Paving Breaker	90lb. 1-1/8″ Shank
Rock Drill	Rock Bits Sold Separately
Rivet Buster	8" Stroke
Rivet Buster	11" Stroke
Chipping Hammer	20lb.

HAMMERS AND ROCK DRILLS



WE OFFER A FULL LINE OF CHICAGO PNEUMATIC AIR TOOLS.



SPECIALTY AIR TOOLS

PRODUCT	DESCRIPTION	
Slab Rider	Ez-Drill 210B SRA 5/8" to 2 ^{1/2} " Diameter Holes to 18" Depths	
Scabbler	Walk Behind 5 Head	
Scabbler	Hand Held 3 Head	
Chisel Scalers	ALR-E 5'	
Rhino PD-55 Pneumatic Post Driver (Requires mini- mum 43 CFM Compressor)	2" or 3" or Channel Post Chuck Adapter.	
CSH 100 Pneumatic Hand Held Cut-Off Saw, 14" Blade, 4" cutting depth		
Alr Impact 3/4 Drive Tool (2145QiMax Impactool™)		



The Pro GroupWALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100SPRINGFIELD, MA 280 Brookdale Drive, 01104 413.732.8044CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000COMING SOON: 35 Oak Hill Way, Brockton, MA 02301					21
GENERATORS & WELDERS		WELDERS			
		225AMP Diesel Welder			
		Welding Lead with Sting	er 25'		
		Ground Lead with Clamp			
		Fume Extractor MobiFlex 200M, 200cu.ft./min			
Mathage Control of the second se		PORTABLE GENERATORS	PHASE	VOLTS	AMPS
Welders	Portable Generators	GP 2500	1	120	18.8
weiders	rontable deficiators	GP 3800	1	120/240	28.3/14.2
9		GP 5600	1	120/240	41.7/20.8
WACKER T SOOT	GP 9700	1	120/240	78/39	
		TOWABLE GENERATORS	PHASE	VOLT	AMPS
		G25 KVA Diesel	1	120/240	111/55.5
L		G25 KVA Diesel	3	208/240/480	70/60/30
	R L	G50 KVA Diesel	1	120/240	292/146
		G50 KVA Diesel	3	208/480	142/62
		G70 KVA Diesel	1	120/240	311/155.5
		G70 KVA Diesel	3	208/240/480	194/168/84
Towable Gen	erators	G120 KVA Diesel	1	120/240	554/277
		G120 KVA Diesel	3	208/240/480	347/301/150
CEP Electrical Distribution Center		G320 KVA Diesel	1	120/240	1334/692
		G320 KVA Diesel	3	208/240/480	866/751/376
		Electrical Distributio	n Cente	rs and	

CEP Spider Box

Electrical Distribution Centers and **Power Cords Available**



www.proequipmentrental.com 3

PORTABLES

TOWABLES

The Pro Gr Waltham, MA • 122 Calvary Street Springfield, MA 280 Brookdale Drive, 01104 413.732.8044 Coming Soon: 35 Oak Hill Way	t, 02453 • 781.647.1100 CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000
CONCRETE & MORTAR MIXERS Portable Electric Oprime Internet Opri	CONCRETE BUGGES <u>Nanai Georgia Buggy 6 Cu.Ft., 8 Cu.Ft. Electric Concrete Buggy 7 Cu.Ft, 10 Cu.Ft. Electric Debris Cart 9 Cu.Ft. Gas IHI Track Buggy 16 Cu.Ft. Borner 16 Cu.Ft. Borner 16 Cu.Ft. Bectric Debris Cart 10 Cu.Ft. Debris Cart 10 Cu.Ft. Debris Cart 10 Cu.Ft. Debris Cart 10 Cu.Ft</br></br></br></br></br></br></br></br></u>
CONCRETE FINISHING MACHINES	Image: Wight of the state
PRODUCTWalk Behind Edging Trowel- 24"Walk Behind Power Trowel- 36"Walk Behind Power Trowel- 48"Ride on Mechanical Trowel- 6'Ride on Mechanical Trowel- 8'Allen Vibratory ScreedsSCRUBBERS AVAILABLE	Ride on Trowel
Vertication of the second seco	er Trowel Allen Vibratory Screed

www.proequipmentrental.com 4

Springfield, MA 280 Brookdale Drive, 01104 413.732.8044



CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

CONCRETE AND MASONRY

SAWS & EQUIPMENT

PRODUCT	MOTOR	BLADE SIZE	MAX CUTTING DEPTH
14″ Hand Held Saw	Gas, Electric, Air	14″ Blade	4 ^{3/4} ″
14″ K760 Cut-n-Break	Gas	9″ Blade	16″
10″ Tile Saw	Electric	10″ Blade	33/4//
20″ Block Saw	Gas/Electric	20″ Blade	8″
13HP Push Concrete Saw	Gas/Electric (208V/ 3-Phase)	18″ Blade	6 ^{3/4} ″
20HP Self-Propelled	Gas, Electric (208V/ 3-Phase)	20"Blade	73/4//
35HP Self-Propelled	Diesel, Electric (480V/ 3-Phase)	36″Blade	14 ^{3/4}
65HP Self-Propelled	Diesel	48″ Blade	20″
230 Gallon Water Tank		·	•
500 Gallon Water Trailer			
1,000 Gallon Water Trailer			

NOTE: Diamond blades are rented separately from equipment.

Ka

500 Gallon Water Trailer



CC1300 13HP Saw



CC1800 20HP Saw



CC3500 35HP Saw Fits through a 36" Door Frame with Blade Guard Removed.



CC6500 65HP Diesel Saw



Husqvarna K760 14″ Cut-n-Break with a 16″ Cutting Depth

CONCRETE CORE RIGS

PRODUCT	BIT CAPACITY
M-1 Combination Rig	Up to 10″ (14″ with one spacer)
M-4 Hand Held Core Drill	3″
M-4 Complete Combination Rig	6″
Water Can	

NOTE: Core bits, hand held stands, anchor kits & water pumps are rented separately from equipment.



PRO

INQUIRE ABOUT

BLADE NEEDS

M-4 Hand Held Core Drill

M-1 Combination Rig



M-4 Complete Combination Rig



—— The Pro Group = WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100 Springfield, MA CRANSTON, RI 280 Brookdale Drive, 01104 **10 Amflex Drive, 02921** 401.464.5000 413.732.8044 Equipment Rental COMING SOON: 35 Oak Hill Way, Brockton, MA 02301 SURFACE PREPARATION FROM HUSOVARNA The ideal grinder for rental customers who need to grind concrete, **HUSQVARNA PG 280** mastics, paints, etc. It's small and easy to maneuver, yet strong enough to get the job done. Husqvarna PG 280 SF **REDI LOCK™ G600 DIAMOND GRINDING** C 1400 **SEGMENT SERIES** The 600 series is a good and simple alternative in small jobs, where optimal performance is not a must.

DC 1400 VACUUM UNIT

A small and lightweight wet/dry vacuum, it is perfect for dust control when used with the PG 280. It can also be used with hand grinders.



HUSQVARNA PG 530 WITH DC 3300 VACUUM UNIT

The smallest planetary grinder available, it's the perfect machine for residential and commercial contractors that work in tight spaces.



DC 3300 VACUUM UNIT

A single-phase dust extraction unit designed to accompany the PG 530 grinder to ensure a dust-free work environment.

REDI LOCK™ G 1100 DIAMOND GRINDING SEGMENT SERIES

The G 1100 metal bond diamond range represents the highest level of performance for all professionals focusing on high efficiency and profitability. Available in single or double Husqvarna or single or double Convex shapes.

HUSQVARNA PG 820 WITH DC 5500 VACUUM UNIT

An all-purpose grinder that is perfect for contractors who need an extremely powerful and tough grinder/polisher to handle large areas and a wide array of applications.



DC 5500 VACUUM UNIT

The perfect choice for any large planetary grinder that needs a vacuum with high suction and flow to eliminate airborne dust. The high CFM and large capacity enable it to handle all grinding and polishing applications.



www.proequipmentrental.com 7

SPRINGFIELD, MA 280 Brookdale Drive, 01104 413.732.8044



CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

SURFACE PREPARATION TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS	PG 280 SF	PG 530	PG820
Power	2HP	5HP	17HP
Voltage	115V	220/240V	380/480V
Rated current	15AMPS	16AMPS	32AMPS
Power supply	1 Phase	1 Phase	3 Phase
Grinding width	11in	21in	32in
Grinding disc	11in	9 ^{1/2} in	10 ^{1/2} in
Grinding pressure total	55lbs	295lbs	737lbs
Power per grinding disc	2HP	1.7HP	5.7HP
Grinding disc speed	1,160rpm	200-710rpm	250-1,100 rpm
Dimensions L x W x H (inches)	47 x 16 x 39	73 x 21 x 74	88 x 33 x 80
Weight	176lbs	475lbs	970lbs
Recommended generator size	6kW	12kW	25kW

VACUUM TECHNICAL SPECIFICATIONS	DC 1400	DC 3300	DC 5500
Power Output	1.9HP	4HP	7.4HP
Rated current	9AMPS	16AMPS	32AMPS
Voltage	115V	220/240V	380/480V
Phases	1 Phase	1 Phase	3 Phase
Air Flow	140cfm	325cfm	350cfm
Max, vacuum	3335.87psi	4.35psi	4.35psi
Suction inlet diameter	2in	3in	3in
Primary filtration surface area	2in	11sq.ft	25sq.ft
Micro filter surface area		11sq.ft.	71.5sq.ft
Product size, L x W x H (inch)	22 x 22 x 38	36 x 26 x 60	43.3 x 26 x 77.2
Weight	79lbs	214lbs	474lbs
Recommended Generator		7 ^{1/2} k W	25 kW

* Generator size when PG 820 used in conjunction with DC 5500: 45kW.

REDILOCK [™] DIAMOND	GRIT SIZE	DESCRIPTION
GRINDING SEGMENTS		
620	20, 30, 50, 100	Single or double, Hexagonal or Round segment with a soft bond for very hard concrete.
640	20, 30, 40	Single or double, Hexagonal or Round segment with a medium bond for medium to hard concrete.
670	20, 30	Single or double, Hexagonal or Round segment with a hard bond for soft concrete and abrasive surfaces (broom finished concrete, ceramic tile adhesive, etc.).
G 1110	20, 30, 60, 120	Single or double Husqvarna or Convex segment with a very soft bond for very hard concrete.
G 1120	20, 30, 60, 120	Single or double Husqvarna or Convex segment with a soft bond for very hard concrete.
G 1140	20, 30, 60, 120	Single or double Husqvarna or Convex segment with a medium bond for medium to hard concrete.
G 1150	20, 30, 60, 120	Single or double Husqvarna or Convex segment with a medium-hard bond for soft to medium concrete
G 1170	20, 30, 60	Single or double Husqvarna or Convex segment with a hard bond for soft concrete and abrasive surfaces (broom finished concrete, ceramic tile adhesive, etc.)
G 1180	20, 30	Single, double, or triple Husqvarna segment with a very hard bond for very soft concrete and abrasive surfaces.

TECHNICAL SPECIFICATIONS RESIN BOND POLISHING PADS	P 1200 SERIES
Colors	Dark Green, Black, Red, Yellow, White, Blue, Gray
Diameter (inch)	3
Grit Size (mesh)	50, 100, 200, 400, 800, 1500, 3000
Diamond Height (MM)	6.5

P 1200 RESIN Polishing Pads



• Allows the user to reach a certain gloss level in a few steps, which saves time and tooling, lowers cost, and produces a better end result.

• It is strictly for dry polishing of concrete and cement based terrazzo floors.

• Should be used in conjunction with HiperhardTM floor densifier/hardener (highly recommended).

• Available in 3" (Velcro-backed) grits and is 3" (76mm) in diameter to be used on PG machines.

• 6.5mm diamond height and lower wear-out rate offer long durability.

* Scofield® Formula One™ Guard-S Concentrate

* Scofield[®] Proguard[™] Duracover



- * Scofield[®] Formula One[™] Liquid Dye Concentrate
- * Scofield® Formula One™ Lithium Densifier MP
- * Scofield® Formula One™ Finish Coat
- * Scofield® Formula One™ Guard-W



RIDE-ON FLOOR SCRAPER



CYCLONE by SASE

- Most efficient battery powered floor scraper
- Triple blade action to maneuver, angle and pivot the scraper blade
- Fits through standard doorways and on elevators
- Removes all types of floor coverings, VCT, laminates, hardwoods and rubberized coatings, carpet and more
- Comes standard with a 220 V charger
- Single joystick control for speed, steering and direction
- Zero emissions floor scraper

The SASE Cyclone will remove virtually all floor covering materials in a single pass



Triple Blade Action

Action One: Lowers and raises the

blade to the floor

Action Two:

Positions the angle of the blade for optimal removal of a variety of floor coverings

Action Three:

The integral pivoting blade action keeps the full length of the blade in constant contact with the floor

JOBSITE ACCESSORIES FROM BRANDS YOU LOVE







Invented for life





UTILITY VEHICLE



For over 35 years, your needs have been our number one focus. As your needs have grown, so have ours. We are excited to introduce our newest location coming soon!

35 Oak Hill Way, Brockton, MA





The Pro Group = WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

Springfield, MA 280 Brookdale Drive, 01104 413.732.8044

PRODUCT

ROLLERS

PRO

Available for Dust

Prevention



COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

WACKER WALK BEHIND DOUBLE DRUM VIBRATORY RD-7H

WACKER TRENCH ROLLER RT82-SC-2 (3300LBS OPERATING

DIESEL (1829LBS OPERATING WEIGHT)

1^{1/2} TON BOMAG VIBRATORY DOUBLE DRUM

3 TO 5 TON BOMAG DOUBLE DRUM- 47.2" WIDE

3 TO 5 TON BOMAG SINGLE DRUM- 47.2" WIDE

12 TON BOMAG SINGLE DRUM- 84" WIDE

10 TON SINGLE DRUM- 66" WIDE

1 TON BOMAG ASPHALT

CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

CENTRIFUGAL FORCE/PER DRUM

2,922.5lbs.

3,400lbs.

3,400lbs.

9,675lbs.

15,377lbs.

9,352lbs. / 6,497lbs.

22,481lbs. High Amplitude/

53,054.9lbs. High Amplitude/ 38,217.5 lbs. Low Amplitude

21,357lbs. Low Amplitude

FAYAT GROUF BOMAC



WEIGHT)

1 Ton Roller



1.5 Ton Roller



Sinale Drum Roller: 3 to 5 Ton- 47.2"



Double Drum Roller: 3 to 5 Ton- 47.2"







* Blue Tape

* Duct Tape

* Cover Shield

- * Step N Peel Clean Mat
- * Carpet Shield®
- * Builder Board[™]
- * Duct Cover Shield
- * Water Shield

10 Ton Roller- 66"

- * Dust Barrier Products
- * Zip Poles
- * Extendable Poles
- * Heavy Duty Zippers
 - * Foam Rails

- **RAM BOARD**
- * Ram Board®

12 Ton Roller - 84"

- * Door Jamb Protection
- * Vapor-Cure[™] Tape
- * Seam Tape™ www.proequipmentrental.com
- * Debris Netting * Privacy Fence Netting* Bungee Ties

EAGLE ENCLOS

* Fire Rated Reinforced Poly

* Scaffold Sheeting

* Poly Sheeting

12

 The Pro Group

 WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

 SpringField, MA

 CRANSTON, RI

 280 Brookdale Drive, 01104

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

LOADERS AND EXCAVATORS

413.732.8044



9VX-E IHI Mini Electric Excavator



Wacker 1404 3,000lb. Mini Excavator





Wacker 3503 7,000lb. Mini Excavator





Wacker 8003

17,000lb. Mini Excavator

Wacker 50Z3 10,000lb. Mini Excavator

401.464.5000



Backhoe Loader 17,000lb.- 18,000lb.



ATTACHMENTS

Hydaulic Breakers

PRODUCT	SERVICE WEIGHT (Ib ¹)	CARRIER WEIGHT CLASS (Ib ²)	BLOW FREQUENCY(bpm)
RX2	258	2,900-6,600	560-1700
RX4	514	6,400-13,200	520-1150
RX6	626	9,300-19,800	530-1150
RX8	838	11,500-26,500	530-1050

Mechanical Hydraulic Thumbs



The Pro Group WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

Springfield, MA 280 Brookdale Drive, 01104 413.732.8044

CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

EXCAVATION & DEMOLITION EQUIPMENT

WHEEL LOADERS





WL 280

WL 30 Articulating

SKID-STEERS & TRACK LOADERS	UNIT WEIGHT	LIFTING CAPACITY	BUCKET SIZE & CAPACITY
MT52 Mini Track Loader	2,580lb	520lb	36″ ⅓yd cap
T180 Track Loader- Diesel	7,600lb	1,850lb	68″ ½yd cap
T190 Track Loader- Diesel	7,800lb	1,950lb	68″ ½yd cap
T250 Track Loader- Diesel	9,400lb	2,500lb	80″ ¾yd cap
T320 Track Loader- Diesel	9,700lb	3,100lb	80″ ¾yd cap
S70 Skid-Steer- Diesel	2,800lb	700lb	36″ ⅓yd cap
S130 Skid-Steer- Diesel	5,000lb	1,300lb	60″ ½yd cap
S175 Skid-Steer- Diesel	6,200lb	1,750lb	68″ ½yd cap
S185 Skid-Steer- Diesel	6,300lb	1,850lb	68″ ½yd cap
S220 Diesel High Flow	7,400lb	2,200lb	74″ ¾yd cap
S250 Diesel High Flow	7,800lb	2,500lb	74 " ¾yd cap

WACKER WHEEL LOADERS	MAX. OPERATING POWER AT OPERATING SPEED	BUCKET SIZE
WL 280 Diesel	49HP	.85 yard
WL 30 Articulating Diesel	47.9HP	.59 yard

BOBCAT SKID-STEERS/TRACK LOADERS



MT52 Mini Track Loader



T180 Track Loader



S70 Skid-Steer 36" W



S130 Skid-Steer, 60″ W

S185 Skid-Steer

5185

ATTACHMENTS



Auger



Grapple Bucket



Cold Planer



60" Sweeper

Grading Bucket



Harley Rake

Hydraulic Breaker



Earth Bucket

🕻 Bobcat.

Rock Bucket

ATTACHMENTS
Auger Attachment- 9″, 12″, 15″ Bits
Cold Planer High Flow- 18″ & 24″
RX2 Hydraulic Breaker- Small for 463/322
RX4 Hydraulic Breaker- Medium for 7 Series/S130
RX8 Hydraulic Breakers- Large for JCB's
Sweeper Broom 60″
Grapple Bucket Small & Large
Earth Bucket
Rock Bucket
Sweeper
Pallet Forks
Harley Rake
Snowblade
Snowpush
Snowthrower

 The Pro Group

 WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

SPRINGFIELD, MA 280 Brookdale Drive, 01104 413.732.8044



CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301

HEATERS

Portable Electric

Salamander

- 10in. Wheels
- Safety yellow heater enclosure with safety screens on both air-intake and output openings
- Long-life finned tubular heating elements, high-limit thermal cutout switch with automatic reset
- Thermostat adjustment 40° to 100° F
- Toggle switch for fan only operation
- Magnetic contactor
- Input power terminal block

PART NO. TPFES-	KW	BTU	VOLTS	PHASE	AMP	CFM	TEMP Rise	SHIP WT. (LBS).
1024-1C	10	34130	240	1	42	800	30°	54
1520-3	15	51195	208	3	41.5	800	45°	51
1524-3D	15	51195	240	1/3	36/63	800	45°	51
1548-3D	15	51195	480	1/3	18/32	800	45°	51
3048-3	30	102390	480	3	36	800	90 °	72

ELECTRIC

Milkhouse Heaters
50,000 BTU- 240V/ 3-Phase
50,000BTU-480V/ 3-Phase
100,000BTU-240V/ 3-Phase
PROPANE/NATURAL GAS
250,000 BTU Pot Heaters
400,000 BTU Blower Type
900,000 BTU Blower Type
KEROSENE/OIL

150,000 BTU Blower Type 400,000 BTU Blower Type 900,000 BTU Blower Type

DIRECT FIRED HEATERS



Wacker HDR155 150,000 BTU Infrared Radiant Heater

FORCED AIR KEROSENE/PROPANE HEATERS





HS175KT

HS400FAVT

INDIRECT FIRED HEATERS



FVN/FVO-400



PRODUCT	DESCRIPTION
TPI Air Conditioner	13,500BTU, 17,600BTU
Wacker Dehumidifier	115V, 7.9A (15A)

INDUSTRIAL & COMMERCIAL AIR CONDITIONERS AND DEHUMIDIFIERS LARGE AREA UNITS AVAILABLE







Wacker 85LGR

The Pro Group
 WALTHAM, MA • 122 Calvary Street, 02453 • 781.647.1100

Springfield, MA 280 Brookdale Drive, 01104 413.732.8044



CRANSTON, RI 10 Amflex Drive, 02921 401.464.5000

COMING SOON: 35 Oak Hill Way, Brockton, MA 02301







Wacker Neuson Climate Technology has Indoor Air Quality (IAQ) solutions to help meet LEED Certification for new and

reconstruction projects.

HI400D, HI400G



WACKER NEUSON

Portable indirect fired air heaters produce clean, dry, healthy heat offering an ideal environment for a variety of construction, residential and restoration applications without the use of an open flame, combustion carbons or water. The unique Recircul-Air design allows adjustable recirculation of warm inside air, while pressurizing with fresh air, resulting in fuel savings and even temperatures. Available in Diesel or Natural Gas/Propane, the HI 400HD can handle various heating and drying applications at over 85% efficiency due to dedicated 2nd blower for combustion; one of the highest in the industry! Large pneumatic tires mean easy positioning on job sites. The HI 400HD is CSA approved.

HI750D, HI750G, HI900D, HI900G

The most versatile, robust indirect fired air heaters producing clean, moisture free air for various heating and drying applications. The HI750/HI 900 is easy to setup and simple to operation making these units extremely user friendly, and can operate on diesel, natural gas or propane for maximum job site convenience. Self Contained 6kW generator on board all models. All models are CSA certified.



E3000



E3000 GROUND THAW

Engineered for reliable performance and troublefree starts for up to 140 hours of run time, the E 3000ES will provide maximum flow and ensure consistent heat delivery for thawing and curing applications. The E 3000ES thaws or cures up to 6,000 sq. ft. With accessories this heater will cure up to 18,000 sq. ft. or provide 535,000 cu. ft. of dry heat at 83% efficiency, the highest in the industry.

PRODUCT	AMP	VOLT	PHASE	
HI400	15	120	1	
PRODUCT	BURN TIME	BTUS	CFM	HEATER OUTPUT
HI750	up to 21 hours	750,000	5,800	622,500BTU/H
HI900	up to 21 hours	900,000	6,447	878,000BTU/H
E3000	up to 101 hours	252,000		212,000BTU/H



17 www.proequipmentrental.com

Safety Products for LIFE.

PROTECTIVE INDUSTRIAL PRODUCTS

by Honeywell



Ridgid 1224 Threading Machine

Ridgid 700 Power Drive



1800 PSI Electric
3600 PSI Gas
4000 PSI Gas
HOT WATER
3000 PSI Gas
*TIPS AND PRESSURE WASHER

HOSE INCLUDED IN RENTAL



1800 PSI Electric Cold Water Pressure Washer



4000 PSI Gas Cold Water Pressure Washer



3000 PSI Hot Water Pressure Washer

- **Tvvek Suits**
- **Rainsuits & Boots**
- Winter Gloves
- Latex Gloves
- **Masks & Respirators** .
- **Eyewash & Eyewash Stations**
- Waste Baskets



- **Paper Towels**
- **Scrubs & Hand Wipes**
- **Orange Soap & Hand Sanitizer**
- **Disinfectant Spray**
- Lysol & Bleach
- Glass & Ammonial Cleaner
- Simple Green

- 19 www.proequipmentrental.com



Dewalt D25980K Electric Pavement Breaker

